



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

cancer of omentum, 1; dysentery, 1; peritonitis, 1; trauma of liver and bowels, 1; trismus, 1; premature birth, 3; old age, 6; alcoholism, 1; burns, 2; carbolic-acid poisoning, 1; injury during delivery, 1; gunshot wound, 1; dropsy, 1; dentition, 1; inanition, 3; summer complaint, 1. Total, 90.

*Mortality at Nuevo Laredo.*

The following is received from Passed Assistant Surgeon Richardson, under date of September 14:

Three weeks ended September 10, 1804. August 29, tetanus, 1; August 30, sudden (cause unknown), 1; September 6, fibro-sarcoma, 1; September 8, senile debility, 1; September 8, cerebral congestion, 1. Total, 5.

From the official records of city.

*Summary of work at Laredo and New Laredo.*

The following is received from Passed Assistant Surgeon Richardson, under date of September 21, 1904:

During period September 12th to 20th, fumigated Laredo 25 houses containing 97 rooms, inspected 8,253 premises, and oiled 2,351 water containers. Stocked 9 cisterns, 5 wells, and 2 tanks with minnows. Maximum temperature, 96. Rainfall, 3.31 inches. Inspection and fumigation by service discontinued 20th, as authorized by Bureau. New Laredo reports period 11th to 19th 3,148 domiciliary visits, 235 containers emptied, 144 containers oiled, 67 ponds oiled, and 6 premises cleared of rubbish.

INSPECTION SERVICE, MEXICAN BORDER.

*Inspection at Nogales, Ariz.*

Acting Assistant Surgeon Gustetter reports as follows: Week ended September 10, 1904. Passengers inspected, 184; immigrants inspected, 37; immigrants deported, 7.

*Inspection at Eagle Pass, Tex.*

Acting Assistant Surgeon Hume reports as follows:

	Week ended Sept. 10.
Persons inspected .....	321
Persons held .....	5
Pullman cars fumigated .....	7

Bags Pullman linen fumigated, 32.

Inspected on footbridge, 3,619 persons. Returned by State quarantine officer—by train, 11; by bridge, 14.

*Inspection at El Paso, Tex.*

Acting Assistant Surgeon Alexander reports as follows:

Week ended September 10, 1904: Mexican Central passengers inspected, 108; Mexican immigrants inspected, 36; special Pullman passengers and crew inspected, 14; soiled linen imported for laundry work disinfected, 327 pieces.

*Inspection at Laredo, Tex.*

Acting Assistant Surgeon Hamilton reports, through Passed Assistant Surgeon Richardson, as follows:

Week ended September 10, 1904: Passenger trains from Mexico inspected, 14; persons on passenger trains from Mexico inspected, 428; immigrants on passenger trains from Mexico inspected, 24; persons refused entry for noncompliance with State quarantine regulations, 12; persons detained in detention camp, 3; persons three days out from Veracruz detained, 2; Pullman coaches disinfected, 14; private coaches disinfected, 1; persons inspected and entered via international foot and carriage bridge, 3,454; persons presenting at international foot and carriage bridge refused entry, 11.

*Statistical reports of States and cities of the United States—Yearly and monthly.*

CALIFORNIA—*Los Angeles*.—Month of August, 1904. Estimated population, 160,000. Total number of deaths, 214, including diphtheria 7, enteric fever 7, and 39 from tuberculosis.

CONNECTICUT.—Reports to the State board of health for the month of July, 1904, from 167 towns, having an aggregate estimated population of 956,151, show a total of 1,362 deaths, including diphtheria 8, enteric fever 21, scarlet fever 3, whooping cough 4, and 123 from tuberculosis.

LOUISIANA—*New Orleans*.—Month of August, 1904. Estimated population, 317,000—white, 233,000; colored, 84,000. Total number of deaths, 454—white, 283; colored, 171, including diphtheria 2, enteric fever 14, whooping cough 2, and 88 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended September 10, from 89 observers, indicate that diphtheria and smallpox were more than usually prevalent, and dysentery, cholera morbus, intermittent fever, pleuritis, scarlet fever, remittent fever, erysipelas, pneumonia, measles, and meningitis were less than usually prevalent.

Meningitis was reported present at 7, pneumonia at 12, whooping cough at 13, measles at 14, scarlet fever at 30, diphtheria at 37, smallpox at 41, enteric fever at 97, and phthisis pulmonalis at 292 places.

MINNESOTA—*Minneapolis*.—Month of August, 1904. Estimated population, 235,000. Total number of deaths, 211, including diphtheria 1, enteric fever 3, measles 1, and 28 from tuberculosis.

NEW HAMPSHIRE—*Manchester*.—Month of August, 1904. Estimated population, 62,000. Total number of deaths, 89; including enteric fever 2, whooping cough 2, and 7 from tuberculosis.

NEW YORK—*Auburn*.—Month of July, 1904. Estimated population, 38,500. Total number of deaths, 38, including diphtheria 3, enteric fever 1, scarlet fever 1, and 4 from tuberculosis.

Month of August, 1904. Total number of deaths, 30, including diphtheria 1, enteric fever 1, and 2 from tuberculosis.